

```

                                .htaccess
# BEGIN iThemes Security - Do not modify or remove this line
# iThemes Security Config Details: 2
    # Enable HackRepair.com's blacklist feature - Security > Settings >
Banned Users > Default Blacklist
    # Start HackRepair.com Blacklist
RewriteEngine on
    # Start Abuse Agent Blocking
RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*Indy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mozilla.*NEWT" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Maxthon$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SeaMonkey$" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Acunetix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^binlar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^BlackWidow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Bolt 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^BOT for JCE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Bot mailto\:craftbot@yahoo\.com"
[NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^casper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^checkprivacy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ChinaClaw" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^clshttp" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^cmsworldmap" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Custo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Default Browser 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^diavol" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DIIBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^DISCo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^dotbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Download Demon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^eCatch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EirGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailCollector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailSiphon" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EmailWolf" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Express WebPictures" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^extract" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ExtractorPro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^EyeNetIE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^feedfinder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FHscan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^FlashGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^flicky" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^g00g1e" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetRight" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GetWeb\!" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\!Zilla" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Go\ -Ahead\ -Got\ -It" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^grab" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^GrabNet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Grafula" [NC,OR]

```

.htaccess

```
RewriteCond %{HTTP_USER_AGENT} "^harvest" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^HMView" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Stripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Image Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InterGET" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Internet Ninja" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^InternetSeer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^jakarta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Java" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JetCar" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^JOC Web Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kanagawa" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^kmccrew" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^larbin" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^LeechFTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^libwww" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mass Downloader" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^microsoft\.url" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MIDown tool" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^miner" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Mister PiX" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^MSFrontPage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Navroad" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NearSite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Net Vampire" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetAnts" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^NetZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^nutch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Octopus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Explorer" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Offline Navigator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PageGrabber" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Papa Foto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pavuk" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pcBrowser" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^PeoplePal" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^planetnetwork" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^psbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^purebot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^pycurl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^RealDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^ReGet" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Rippers 0" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sitecheck\.internetseer\.com" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SiteSnagger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^skygrid" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SmartDownload" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^SuperHTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Surfbot" [NC,OR]
```

```

                                .htaccess
RewriteCond %{HTTP_USER_AGENT} "^tAkeOut" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Teleport Pro" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Toata dragostea mea pentru diavola"
[NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^turnit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^vikspider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^VoidEYE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Web Image Collector" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebAuto" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebBandit" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebCopier" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebFetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebGo IS" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebLeacher" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebReaper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebSauger" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website eXtractor" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Website Quester" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebStripper" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebWhacker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WebZIP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Widow" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WPScan" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWW\ -Mechanize" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^WWWOFFLE" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Xaldon WebSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^Zeus" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "^zmeu" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "360Spider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "CazoodleBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "discobot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "EasouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ecxi" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "GT\:\:WWW" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "heritrix" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTP\:\:Lite" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "HTTrack" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ia_archiver" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "id\ -search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IDBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Indy Library" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "IRLbot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ISC Systems iRc Search 2\.1" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksCrawler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "LinksManager\.com_bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "linkwalker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "lwp\ -trivial" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MFC_Tear_Sample" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Microsoft URL Control" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Missigua Locator" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "MJ12bot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "panscient\.com" [NC,OR]

```

```

                                .htaccess
RewriteCond %{HTTP_USER_AGENT} "PECL\:\:HTTP" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PHPCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "PleaseCrawl" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SBIder" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SearchmetricsBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "SeznamBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Snoopy" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Steeler" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "URI\:\:Fetch" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "urllib" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Web Sucker" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "webalta" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WebCollage" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "Wells Search II" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "WEP Search" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "XoviBot" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "YisouSpider" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "zermelo" [NC,OR]
RewriteCond %{HTTP_USER_AGENT} "ZyBorg" [NC,OR]
# End Abuse Agent Blocking
# Start Abuse HTTP Referrer Blocking
RewriteCond %{HTTP_REFERER} "^https?://(?:[^\./]+\.)?semalt\.com" [NC,OR]
RewriteCond %{HTTP_REFERER} "^https?://(?:[^\./]+\.)?kambasoft\.com"
[NC,OR]
RewriteCond %{HTTP_REFERER} "^https?://(?:[^\./]+\.)?savetubevideo\.com"
[NC]
# End Abuse HTTP Referrer Blocking
RewriteRule ^.* - [F,L]
# End HackRepair.com Blacklist, http://pastebin.com/u/hackrepair

# Ban Hosts - Security > Settings > Banned Users
SetEnvIF REMOTE_ADDR "^162\.248\.143\.161$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^162\.248\.143\.161$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^162\.248\.143\.161$" DenyAccess

SetEnvIF REMOTE_ADDR "^168\.235\.155\.26$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^168\.235\.155\.26$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^168\.235\.155\.26$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\.39\.218\.232$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^5\.39\.218\.232$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^5\.39\.218\.232$" DenyAccess

SetEnvIF REMOTE_ADDR "^94\.32\.66\.160$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^94\.32\.66\.160$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^94\.32\.66\.160$" DenyAccess

SetEnvIF REMOTE_ADDR "^85\.214\.107\.151$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^85\.214\.107\.151$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^85\.214\.107\.151$" DenyAccess

SetEnvIF REMOTE_ADDR "^203\.138\.122\.108$" DenyAccess

```

```
.htaccess
SetEnvIF X-FORWARDED-FOR "^203\.138\.122\.108$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^203\.138\.122\.108$" DenyAccess

SetEnvIF REMOTE_ADDR "^208\.108\.129\.145$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^208\.108\.129\.145$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^208\.108\.129\.145$" DenyAccess

SetEnvIF REMOTE_ADDR "^84\.88\.156\.8$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^84\.88\.156\.8$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^84\.88\.156\.8$" DenyAccess

SetEnvIF REMOTE_ADDR "^151\.80\.34\.43$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^151\.80\.34\.43$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^151\.80\.34\.43$" DenyAccess

SetEnvIF REMOTE_ADDR "^198\.12\.154\.106$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^198\.12\.154\.106$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^198\.12\.154\.106$" DenyAccess

SetEnvIF REMOTE_ADDR "^91\.121\.210\.138$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^91\.121\.210\.138$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^91\.121\.210\.138$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.119\.81\.50$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.119\.81\.50$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.119\.81\.50$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.119\.81\.11$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.119\.81\.11$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.119\.81\.11$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.119\.81\.63$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.119\.81\.63$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.119\.81\.63$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.119\.81\.24$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.119\.81\.24$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.119\.81\.24$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.239\.157$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.239\.157$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.239\.157$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.119\.81\.78$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.119\.81\.78$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.119\.81\.78$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.5\.199$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.5\.199$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.5\.199$" DenyAccess

SetEnvIF REMOTE_ADDR "^61\.91\.205\.104$" DenyAccess
```

.htaccess

```
SetEnvIF X-FORWARDED-FOR "^61\.91\.205\.104$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^61\.91\.205\.104$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.119\.81\.39$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.119\.81\.39$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.119\.81\.39$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.5\.212$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.5\.212$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.5\.212$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.130\.226\.105$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.130\.226\.105$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.130\.226\.105$" DenyAccess

SetEnvIF REMOTE_ADDR "^146\.0\.74\.150$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^146\.0\.74\.150$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^146\.0\.74\.150$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\.39\.219\.24$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^5\.39\.219\.24$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^5\.39\.219\.24$" DenyAccess

SetEnvIF REMOTE_ADDR "^5\.39\.222\.18$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^5\.39\.222\.18$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^5\.39\.222\.18$" DenyAccess

SetEnvIF REMOTE_ADDR "^162\.144\.201\.74$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^162\.144\.201\.74$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^162\.144\.201\.74$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.239\.156$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.239\.156$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.239\.156$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.40\.4\.66$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.40\.4\.66$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.40\.4\.66$" DenyAccess

SetEnvIF REMOTE_ADDR "^63\.143\.51\.249$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^63\.143\.51\.249$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^63\.143\.51\.249$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.239\.110$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.239\.110$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.239\.110$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.239\.111$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.239\.111$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.239\.111$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.100\.222\.127$" DenyAccess
```

.htaccess

```
SetEnvIF X-FORWARDED-FOR "^185\.100\.222\.127$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.100\.222\.127$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.239\.130$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.239\.130$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.239\.130$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.119\.81\.37$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.119\.81\.37$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.119\.81\.37$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.5\.251$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.5\.251$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.5\.251$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.190\.132$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.190\.132$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.190\.132$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.238\.244$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.238\.244$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.238\.244$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.167\.4$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.167\.4$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.167\.4$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.13\.213$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.13\.213$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.13\.213$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.239\.195$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.239\.195$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.239\.195$" DenyAccess

SetEnvIF REMOTE_ADDR "^92\.63\.91\.3$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^92\.63\.91\.3$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^92\.63\.91\.3$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.191\.201$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.191\.201$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.191\.201$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.85\.191\.196$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.85\.191\.196$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.85\.191\.196$" DenyAccess

SetEnvIF REMOTE_ADDR "^163\.172\.66\.167$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^163\.172\.66\.167$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^163\.172\.66\.167$" DenyAccess

SetEnvIF REMOTE_ADDR "^163\.172\.66\.166$" DenyAccess
```

.htaccess

```
SetEnvIF X-FORWARDED-FOR "^163\.172\.66\.166$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^163\.172\.66\.166$" DenyAccess

SetEnvIF REMOTE_ADDR "^163\.172\.66\.62$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^163\.172\.66\.62$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^163\.172\.66\.62$" DenyAccess

SetEnvIF REMOTE_ADDR "^163\.172\.66\.174$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^163\.172\.66\.174$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^163\.172\.66\.174$" DenyAccess

SetEnvIF REMOTE_ADDR "^163\.172\.66\.159$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^163\.172\.66\.159$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^163\.172\.66\.159$" DenyAccess

SetEnvIF REMOTE_ADDR "^77\.163\.79\.38$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^77\.163\.79\.38$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^77\.163\.79\.38$" DenyAccess

SetEnvIF REMOTE_ADDR "^46\.119\.116\.151$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^46\.119\.116\.151$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^46\.119\.116\.151$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.98$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.98$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.98$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.104$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.104$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.104$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.100$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.100$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.100$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.101$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.101$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.101$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.108$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.108$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.108$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.106$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.106$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.106$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.99$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.99$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.99$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.105$" DenyAccess
```



```

                .htaccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.105$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.105$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.107$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.107$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.107$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.110$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.110$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.110$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.109$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.109$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.109$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.102$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.102$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.102$" DenyAccess

SetEnvIF REMOTE_ADDR "^185\.86\.164\.103$" DenyAccess
SetEnvIF X-FORWARDED-FOR "^185\.86\.164\.103$" DenyAccess
SetEnvIF X-CLUSTER-CLIENT-IP "^185\.86\.164\.103$" DenyAccess

<IfModule mod_authz_core.c>
    <RequireAll>
        Require all granted
        Require not env DenyAccess
        Require not ip 162.248.143.161
        Require not ip 168.235.155.26
        Require not ip 5.39.218.232
        Require not ip 94.32.66.160
        Require not ip 85.214.107.151
        Require not ip 203.138.122.108
        Require not ip 208.108.129.145
        Require not ip 84.88.156.8
        Require not ip 151.80.34.43
        Require not ip 198.12.154.106
        Require not ip 91.121.210.138
        Require not ip 185.119.81.50
        Require not ip 185.119.81.11
        Require not ip 185.119.81.63
        Require not ip 185.119.81.24
        Require not ip 185.85.239.157
        Require not ip 185.119.81.78
        Require not ip 185.86.5.199
        Require not ip 61.91.205.104
        Require not ip 185.119.81.39
        Require not ip 185.86.5.212
        Require not ip 185.130.226.105
        Require not ip 146.0.74.150
        Require not ip 5.39.219.24
        Require not ip 5.39.222.18

```

```
        .htaccess
        Require not ip 162.144.201.74
        Require not ip 185.85.239.156
        Require not ip 185.40.4.66
        Require not ip 63.143.51.249
        Require not ip 185.85.239.110
        Require not ip 185.85.239.111
        Require not ip 185.100.222.127
        Require not ip 185.85.239.130
        Require not ip 185.119.81.37
        Require not ip 185.86.5.251
        Require not ip 185.85.190.132
        Require not ip 185.85.238.244
        Require not ip 185.86.167.4
        Require not ip 185.86.13.213
        Require not ip 185.85.239.195
        Require not ip 92.63.91.3
        Require not ip 185.85.191.201
        Require not ip 185.85.191.196
        Require not ip 163.172.66.167
        Require not ip 163.172.66.166
        Require not ip 163.172.66.62
        Require not ip 163.172.66.174
        Require not ip 163.172.66.159
        Require not ip 77.163.79.38
        Require not ip 46.119.116.151
        Require not ip 185.86.164.98
        Require not ip 185.86.164.104
        Require not ip 185.86.164.100
        Require not ip 185.86.164.101
        Require not ip 185.86.164.108
        Require not ip 185.86.164.106
        Require not ip 185.86.164.99
        Require not ip 185.86.164.105
        Require not ip 185.86.164.107
        Require not ip 185.86.164.110
        Require not ip 185.86.164.109
        Require not ip 185.86.164.102
        Require not ip 185.86.164.103
    </RequireAll>
</IfModule>
<IfModule !mod_authz_core.c>
    Order allow,deny
    Allow from all
    Deny from env=DenyAccess
    Deny from 162.248.143.161
    Deny from 168.235.155.26
    Deny from 5.39.218.232
    Deny from 94.32.66.160
    Deny from 85.214.107.151
    Deny from 203.138.122.108
    Deny from 208.108.129.145
    Deny from 84.88.156.8
```

.htaccess

Deny from 151.80.34.43
Deny from 198.12.154.106
Deny from 91.121.210.138
Deny from 185.119.81.50
Deny from 185.119.81.11
Deny from 185.119.81.63
Deny from 185.119.81.24
Deny from 185.85.239.157
Deny from 185.119.81.78
Deny from 185.86.5.199
Deny from 61.91.205.104
Deny from 185.119.81.39
Deny from 185.86.5.212
Deny from 185.130.226.105
Deny from 146.0.74.150
Deny from 5.39.219.24
Deny from 5.39.222.18
Deny from 162.144.201.74
Deny from 185.85.239.156
Deny from 185.40.4.66
Deny from 63.143.51.249
Deny from 185.85.239.110
Deny from 185.85.239.111
Deny from 185.100.222.127
Deny from 185.85.239.130
Deny from 185.119.81.37
Deny from 185.86.5.251
Deny from 185.85.190.132
Deny from 185.85.238.244
Deny from 185.86.167.4
Deny from 185.86.13.213
Deny from 185.85.239.195
Deny from 92.63.91.3
Deny from 185.85.191.201
Deny from 185.85.191.196
Deny from 163.172.66.167
Deny from 163.172.66.166
Deny from 163.172.66.62
Deny from 163.172.66.174
Deny from 163.172.66.159
Deny from 77.163.79.38
Deny from 46.119.116.151
Deny from 185.86.164.98
Deny from 185.86.164.104
Deny from 185.86.164.100
Deny from 185.86.164.101
Deny from 185.86.164.108
Deny from 185.86.164.106
Deny from 185.86.164.99
Deny from 185.86.164.105
Deny from 185.86.164.107
Deny from 185.86.164.110

```
                .htaccess
                Deny from 185.86.164.109
                Deny from 185.86.164.102
                Deny from 185.86.164.103
            </IfModule>

            # Disable XML-RPC - Security > Settings > WordPress Tweaks > XML-RPC
            <files xmlrpc.php>
                <IfModule mod_authz_core.c>
                    Require all denied
                </IfModule>
                <IfModule !mod_authz_core.c>
                    Order allow,deny
                    Deny from all
                </IfModule>
            </files>
# END iThemes Security - Do not modify or remove this line

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```